

# Portables

*Cafeterias • Buffets • Convenience Stores  
Supermarkets & Delis • Restaurants & Cafés  
Clubs & Bars • Catering • Concessions*



**GRSSR** with optional 3" or 5" risers in standard Night Sky simulated stone *pg. 4*



**GRSSR20-DL77516** with standard Night Sky simulated stone heated base *pg. 4*



**GRS-72-1** with accessory food pans *pg. 6*



**GR2S-30** with optional *Designer Hunter Green* inset panels and accessory pizza pans *pg. 8*



**GRSS-3618** in optional *Bermuda Sand* simulated stone *pg. 9*



**HBG-2418** in optional white glass *pg. 10*



**GRHW-1SGDS** Signage not included *pg. 12*



**GRHW-1SG** *pg. 12*



**GRBW-72** Two units side-by-side *pg. 13*



## Portable Lamp Warmer

The portable, powdercoated Hatco Lamp Warmer has a specially designed stand that keeps food holding pans above the countertop and provides insulation to extend holding times.

- Features two vented lamps with heavy-duty sockets
- Adjustable stand from 24 $\frac{3}{8}$ " to 30 $\frac{3}{8}$ " in height
- Cord and plug with in-line power switch

- Gray Granite is standard color with optional *Designer* colors available: Warm Red, Black, Gray Granite, White Granite, Navy Blue, Hunter Green, Antique Copper – non-standard colors are non-returnable
- Holds food pans, wire trivets and fry ribbons



LW-2 with optional *Designer* Black color and accessory food pans

### PORTABLE LAMP WARMER

Model	No. of Bulbs	Dimensions W x D x H	Voltage Single Phase	Watts	Plug	Ship Weight
LW-2	2	12 $\frac{3}{8}$ " x 21 $\frac{5}{8}$ " x 24 $\frac{3}{8}$ "-30 $\frac{3}{8}$ "	120	500	NEMA 5-15P	18 lbs.

**All Portable Lamp Warmer Models Feature:**

**Bulbs:** Two 250 Watt clear bulbs, uncoated.

**Cord Location:** Back of adjustable stand near top.

**Lamp Distance:** 10 $\frac{1}{2}$ "-16 $\frac{1}{2}$ " space from bottom of lamp to top of base.

### OPTIONS (available at time of purchase only)



**Designer Colors – Non-standard colors are non-returnable – Gray Granite standard –**

<b>RED</b>	Warm Red
<b>BLACK</b>	Black
<b>WHITE</b>	White Granite
<b>NAVY</b>	Navy Blue
<b>GREEN</b>	Hunter Green
<b>COPPER</b>	Antique Copper

### ACCESSORIES (available for purchase at any time)

<b>WHITE-CTD-120</b>	250 Watt Clear Bulb, Coated (unit accommodates two bulbs)
<b>RED-UCTD-120</b>	250 Watt Red Bulb, Uncoated (unit accommodates two bulbs)
<b>RED-CTD-120</b>	250 Watt Red Bulb, Coated (unit accommodates two bulbs)

**FOOD PANS AND TRIVETS – PAGE 15**  
**COLORS AND FINISHES – PAGE 15**



## Glo-Ray® Round Portable Heated Shelves

The contemporary-styled Round Heated Shelf keeps hot food at serving temperatures. Ideal when used for wrapped product or for use behind a sneeze guard with unwrapped food like pizza, biscuits, muffins and cookies.

- Unit is designed for countertop or built-in use – see cutout dimensions shown below
- Uniform heat distribution with blanket-type element
- Thermostatically-controlled heated base
- Available in three sizes to hold standard 15", 17" or 19" diameter pans
- Optional stainless steel trim



GRSR-17 in optional Designer Navy Blue with accessory food pan



GRSR-19 in optional Designer Hunter Green with accessory pizza pan

### GLO-RAY ROUND PORTABLE HEATED SHELVES

Model	Dimensions Diameter x H	Max. Pan Size Diameter	Voltage Single Phase	Watts	Plug	Ship Weight
GRSR-15	16 <sup>3</sup> / <sub>4</sub> " x 3 <sup>7</sup> / <sub>8</sub> "	15"	120	250	NEMA 5-15P	12 lbs.
GRSR-17	18 <sup>3</sup> / <sub>4</sub> " x 3 <sup>7</sup> / <sub>8</sub> "	17"	120	325	NEMA 5-15P	14 lbs.
GRSR-19	20 <sup>3</sup> / <sub>4</sub> " x 3 <sup>7</sup> / <sub>8</sub> "	19"	120	400	NEMA 5-15P	17 lbs.

All Glo-Ray Round Portable Heated Shelf Models Feature:  
Cord Location: Underneath.

#### OPTIONS (available at time of purchase only)

Designer Colors – Non-standard colors are non-returnable – Black standard –	
RED	Warm Red
GRAY	Gray Granite
WHITE	White Granite
NAVY	Navy Blue
GREEN	Hunter Green
COPPER	Antique Copper
SS SIDE	Stainless Steel Side

**FOOD PANS AND TRIVETS – PAGE 15**  
**COLORS AND FINISHES – PAGE 15**

#### PORTABLE ROUND HEATED SHELVES COUNTERTOP CUTOUT DIMENSIONS (For Built-in Applications)

Model	Minimum Diameter	Maximum Diameter	Below Counter
GRSR-15	16 <sup>1</sup> / <sub>8</sub> "	16 <sup>1</sup> / <sub>4</sub> "	5 <sup>3</sup> / <sub>8</sub> "
GRSR-17	18 <sup>1</sup> / <sub>8</sub> "	18 <sup>1</sup> / <sub>4</sub> "	5 <sup>3</sup> / <sub>8</sub> "
GRSR-19	20 <sup>1</sup> / <sub>8</sub> "	20 <sup>1</sup> / <sub>4</sub> "	5 <sup>3</sup> / <sub>8</sub> "





### Glo-Ray® Simulated Stone Round Portable Heated Shelves

Hatco's Glo-Ray® Simulated Stone Round Portable Heated Shelves are made of foodsafe materials and are offered in three colors. These unique warmers will safely hold food hot while blending in with your décor and are ideal for buffet lines or as hors d'oeuvre displays.

- Blanket-type element creates uniform heat across the entire simulated stone surface
- Features a lighted rocker switch and thermostatically-controlled heated base to help hold your food hot and delicious
- Optional 3" or 5" risers available in Stainless Steel (standard) or Designer colors
- Models with simulated stone are Swanstone®

**GRSSR-16** in standard Night Sky simulated stone with optional 3" riser in Designer color



**GRSSR-18** in standard Night Sky simulated stone with optional 5" riser in Designer color



**GRSSR-20** in standard Night Sky simulated stone



**GRSSR20-DL77516** in standard Night Sky simulated stone with standard Designer Black base and lamp



#### GLO-RAY SIMULATED STONE ROUND PORTABLE HEATED SHELVES

Model	Dimensions Dia. x H	Voltage Single Phase	Watts	Amps	Plug	Ship Weight
GRSSR-16	16" x 2 <sup>5</sup> / <sub>8</sub> "	120	250	2.1	NEMA 5-15P	14 lbs.
GRSSR-18	18" x 2 <sup>5</sup> / <sub>8</sub> "	120	325	2.7	NEMA 5-15P	16 lbs.
GRSSR-20	20" x 2 <sup>5</sup> / <sub>8</sub> "	120	400	3.3	NEMA 5-15P	18 lbs.

All Glo-Ray Simulated Stone Round Portable Heated Shelf Models Feature:

Temperature Range: 100°-200°F.

Cord Location: 6 foot cord, located on back side on base.

#### GLO-RAY SIMULATED STONE ROUND PORTABLE HEATED SHELVES with DECORATIVE LAMP

Model	Dimensions W x D x H	Voltage Single Phase	Watts	Amps	Plug	Ship Weight
GRSSR16-DL77516	16" x 20 <sup>1</sup> / <sub>2</sub> " x 36"	120	500	4.2	NEMA 5-15P	27 lbs.
GRSSR18-DL77516	18" x 21 <sup>1</sup> / <sub>2</sub> " x 36"	120	575	4.8	NEMA 5-15P	30 lbs.
GRSSR20-DL77516	20" x 22 <sup>1</sup> / <sub>2</sub> " x 36"	120	650	5.4	NEMA 5-15P	32 lbs.

All Glo-Ray Simulated Stone Round Portable Heated Shelf Models with Decorative Lamp Feature:


Bulb: One 250 Watt clear bulb, uncoated.

Temperature Range: 100°-200°F.

Cord Location: 6 foot cord, located on back side on base.

Lamp Distance: 16<sup>1</sup>/<sub>4</sub>" space from bottom of shade to base.

#### OPTIONS AND ACCESSORIES – PAGE 5





Two GRSSR20-DL77516 units in optional Gray Granite simulated stone and Standard Designer Black Base and Shade

**OPTIONS** (available at time of purchase only)

**120H-CTD-W** 120V, 375W Clear Coated Bulb in lieu of 120V Uncoated White bulb (High Watt models only)

**120H-UCTD-W** 120V, 375W Clear Uncoated Bulb in lieu of 120V Uncoated White bulb (High Watt models only)

**Designer Color for Base (and Lamp for GRSSRxx-DL77516 models) – Non-standard colors are non-returnable – Black standard –**

- RED** Warm Red
- GRAY** Gray Granite
- WHITE** White Granite
- NAVY** Navy Blue
- GREEN** Hunter Green
- COPPER** Antique Copper

**Simulated Stone Color – Non-standard colors are non-returnable – Night Sky standard –**

- SS-GGRAN** Gray Granite
- SS-BSAND** Bermuda Sand

**3" Risers (not available on the GRSSRxx-DL77516 models) – Available in Designer Colors – Non-standard colors are non-returnable – Stainless Steel standard –**

- 3RISER16** GRSSR-16
- 3RISER18** GRSSR-18
- 3RISER20** GRSSR-20

**5" Risers (not available on the GRSSRxx-DL77516 models) – Available in Designer Colors – Non-standard colors are non-returnable – Stainless Steel standard –**

- 5RISER16** GRSSR-16
- 5RISER18** GRSSR-18
- 5RISER20** GRSSR-20

**ACCESSORIES** (available for purchase at any time)

**WHITE-CTD-120** 250 Watt Clear Bulb, Coated (GRSSRxx-DL77516 models accommodate one bulb)

**RED-UCTD-120** 250 Watt Red Bulb, Uncoated (GRSSRxx-DL77516 models accommodate one bulb)

**RED-CTD-120** 250 Watt Red Bulb, Coated (GRSSRxx-DL77516 models accommodate one bulb)

**COLORS AND FINISHES – PAGE 15**



## Glo-Ray® Portable Heated Shelves

Whether you need a heated workspace or extra base heat in a pass-through or buffet area, Hatco's full line of Glo-Ray® Heated Shelf options can help you. Using a blanket heating element for an even temperature, the thermostatically-controlled base safely extends the holding time of your food.

Flexibility, style and quality mark these workhorses of the buffet. Available in a variety of widths and depths to meet your specific needs.

- Uniform heat distribution with a blanket-type element
- Built-in adjustable thermostat controls surface temperature
- Extruded aluminum base with stainless steel top – optional hardcoat aluminum surface
- Accessory 4" legs (standard on 36" and wider models)
- Accessory slant leg kit and pan rail



- Model widths from 18" to 72"
- Model depths: 6", 7¼", 9¾", 12", 13¾", 15½", 15¾", 17½", 19½", 21½", 23½", 25½"
- Optional *Designer* colors: Warm Red, Black, Gray Granite, White Granite, Navy Blue, Hunter Green, Antique Copper – non-standard colors are non-returnable
- New optional thermostat guard available (GRS models only)



GRS-30-I in optional *Designer* color with accessory pan rail and food pans

### GLO-RAY PORTABLE HEATED SHELVES

Model	Dimensions W x H	Voltage Single Phase	Watts	Plug	Ship Weight
<b>19½" depth I – Standard 19½" depth accommodates 12" x 20" steam table pans</b>					
GRS-18-I	18" x 2¾"	120	250	NEMA 5-15P	16 lbs.
GRS-24-I	24" x 2¾"	120	350	NEMA 5-15P	20 lbs.
GRS-30-I	30" x 2¾"	120	450	NEMA 5-15P	25 lbs.
GRS-36-I	36" x 5½"	120	550	NEMA 5-15P	28 lbs.
GRS-42-I	42" x 5½"	120	600	NEMA 5-15P	32 lbs.
GRS-48-I	48" x 5½"	120	700	NEMA 5-15P	36 lbs.
GRS-54-I	54" x 5½"	120	800	NEMA 5-15P	42 lbs.
GRS-60-I	60" x 5½"	120	900	NEMA 5-15P	44 lbs.
GRS-66-I	66" x 5½"	120	1000	NEMA 5-15P	50 lbs.
GRS-72-I	72" x 5½"	120	1100	NEMA 5-15P	56 lbs.
<b>6" depth A</b>					
GRS-18-A	18" x 2¾"	120	100	NEMA 5-15P	7 lbs.
GRS-24-A	24" x 2¾"	120	125	NEMA 5-15P	11 lbs.
GRS-30-A	30" x 2¾"	120	150	NEMA 5-15P	9 lbs.
GRS-36-A	36" x 5½"	120	175	NEMA 5-15P	11 lbs.
GRS-42-A	42" x 5½"	120	225	NEMA 5-15P	15 lbs.
GRS-48-A	48" x 5½"	120	250	NEMA 5-15P	16 lbs.
GRS-54-A	54" x 5½"	120	275	NEMA 5-15P	17 lbs.
GRS-60-A	60" x 5½"	120	300	NEMA 5-15P	18 lbs.
GRS-66-A	66" x 5½"	120	325	NEMA 5-15P	20 lbs.
GRS-72-A	72" x 5½"	120	350	NEMA 5-15P	22 lbs.
<b>7¼" depth B</b>					
GRS-18-B	18" x 2¾"	120	100	NEMA 5-15P	10 lbs.
GRS-24-B	24" x 2¾"	120	125	NEMA 5-15P	10 lbs.
GRS-30-B	30" x 2¾"	120	150	NEMA 5-15P	12 lbs.
GRS-36-B	36" x 5½"	120	175	NEMA 5-15P	14 lbs.
GRS-42-B	42" x 5½"	120	225	NEMA 5-15P	19 lbs.
GRS-48-B	48" x 5½"	120	250	NEMA 5-15P	19 lbs.
GRS-54-B	54" x 5½"	120	275	NEMA 5-15P	20 lbs.
GRS-60-B	60" x 5½"	120	300	NEMA 5-15P	21 lbs.
GRS-66-B	66" x 5½"	120	325	NEMA 5-15P	26 lbs.
GRS-72-B	72" x 5½"	120	350	NEMA 5-15P	24 lbs.

**All Glo-Ray Portable Heated Shelf Models Feature:**


- Pan Capacity (12" x 20"): GRS-18-I, -24-I = 1-pan
- GRS-30-I, -36-I = 2-pan
- GRS-42-I, -48-I = 3-pan
- GRS-54-I, -60-I = 4-pan
- GRS-66-I, -72-I = 5-pan

Cord Location: Center of side with switch.

**OPTIONS AND ACCESSORIES – PAGE 8**

### GLO-RAY PORTABLE HEATED SHELVES continued...

Model	Dimensions W x H	Voltage Single Phase	Watts	Plug	Ship Weight
<b>9¾" depth C</b>					
GRS-18-C	18" x 2¾"	120	125	NEMA 5-15P	9 lbs.
GRS-24-C	24" x 2¾"	120	175	NEMA 5-15P	13 lbs.
GRS-30-C	30" x 2¾"	120	225	NEMA 5-15P	14 lbs.
GRS-36-C	36" x 5½"	120	275	NEMA 5-15P	16 lbs.
GRS-42-C	42" x 5½"	120	300	NEMA 5-15P	18 lbs.
GRS-48-C	48" x 5½"	120	350	NEMA 5-15P	20 lbs.
GRS-54-C	54" x 5½"	120	400	NEMA 5-15P	22 lbs.
GRS-60-C	60" x 5½"	120	450	NEMA 5-15P	25 lbs.
GRS-66-C	66" x 5½"	120	500	NEMA 5-15P	28 lbs.
GRS-72-C	72" x 5½"	120	550	NEMA 5-15P	28 lbs.
<b>12" depth D</b>					
GRS-18-D	18" x 2¾"	120	200	NEMA 5-15P	12 lbs.
GRS-24-D	24" x 2¾"	120	250	NEMA 5-15P	15 lbs.
GRS-30-D	30" x 2¾"	120	300	NEMA 5-15P	17 lbs.
GRS-36-D	36" x 5½"	120	350	NEMA 5-15P	20 lbs.
GRS-42-D	42" x 5½"	120	450	NEMA 5-15P	23 lbs.
GRS-48-D	48" x 5½"	120	500	NEMA 5-15P	26 lbs.
GRS-54-D	54" x 5½"	120	550	NEMA 5-15P	30 lbs.
GRS-60-D	60" x 5½"	120	600	NEMA 5-15P	34 lbs.
GRS-66-D	66" x 5½"	120	650	NEMA 5-15P	36 lbs.
GRS-72-D	72" x 5½"	120	700	NEMA 5-15P	37 lbs.
<b>13¾" depth E</b>					
GRS-18-E	18" x 2¾"	120	200	NEMA 5-15P	13 lbs.
GRS-24-E	24" x 2¾"	120	250	NEMA 5-15P	14 lbs.
GRS-30-E	30" x 2¾"	120	300	NEMA 5-15P	18 lbs.
GRS-36-E	36" x 5½"	120	350	NEMA 5-15P	22 lbs.
GRS-42-E	42" x 5½"	120	450	NEMA 5-15P	26 lbs.
GRS-48-E	48" x 5½"	120	500	NEMA 5-15P	29 lbs.
GRS-54-E	54" x 5½"	120	550	NEMA 5-15P	31 lbs.
GRS-60-E	60" x 5½"	120	600	NEMA 5-15P	36 lbs.
GRS-66-E	66" x 5½"	120	650	NEMA 5-15P	38 lbs.
GRS-72-E	72" x 5½"	120	700	NEMA 5-15P	40 lbs.



**Glo-Ray® Portable Heated Shelves continued**



GRS-60-I



GRS-30-I in optional *Designer* color with accessory food pans, shown below a GRAH-36 Strip Heater

**GLO-RAY PORTABLE HEATED SHELVES continued...**


Model	Dimensions W x H	Voltage		Watts	Plug	Ship Weight
		Single Phase				
<b>15½" depth F</b>						
GRS-18-F	18" x 2¾"	120	200	NEMA 5-15P	14 lbs.	
GRS-24-F	24" x 2¾"	120	250	NEMA 5-15P	17 lbs.	
GRS-30-F	30" x 2¾"	120	300	NEMA 5-15P	22 lbs.	
GRS-36-F	36" x 5⅜"	120	350	NEMA 5-15P	25 lbs.	
GRS-42-F	42" x 5⅜"	120	450	NEMA 5-15P	26 lbs.	
GRS-48-F	48" x 5⅜"	120	500	NEMA 5-15P	32 lbs.	
GRS-54-F	54" x 5⅜"	120	550	NEMA 5-15P	38 lbs.	
GRS-60-F	60" x 5⅜"	120	600	NEMA 5-15P	39 lbs.	
GRS-66-F	66" x 5⅜"	120	650	NEMA 5-15P	42 lbs.	
GRS-72-F	72" x 5⅜"	120	700	NEMA 5-15P	46 lbs.	
<b>15¾" depth G</b>						
GRS-18-G	18" x 2¾"	120	225	NEMA 5-15P	17 lbs.	
GRS-24-G	24" x 2¾"	120	300	NEMA 5-15P	18 lbs.	
GRS-30-G	30" x 2¾"	120	375	NEMA 5-15P	21 lbs.	
GRS-36-G	36" x 5⅜"	120	450	NEMA 5-15P	27 lbs.	
GRS-42-G	42" x 5⅜"	120	525	NEMA 5-15P	29 lbs.	
GRS-48-G	48" x 5⅜"	120	600	NEMA 5-15P	33 lbs.	
GRS-54-G	54" x 5⅜"	120	675	NEMA 5-15P	38 lbs.	
GRS-60-G	60" x 5⅜"	120	750	NEMA 5-15P	42 lbs.	
GRS-66-G	66" x 5⅜"	120	825	NEMA 5-15P	47 lbs.	
GRS-72-G	72" x 5⅜"	120	900	NEMA 5-15P	46 lbs.	
<b>17½" depth H</b>						
GRS-18-H	18" x 2¾"	120	225	NEMA 5-15P	16 lbs.	
GRS-24-H	24" x 2¾"	120	300	NEMA 5-15P	18 lbs.	
GRS-30-H	30" x 2¾"	120	375	NEMA 5-15P	21 lbs.	
GRS-36-H	36" x 5⅜"	120	450	NEMA 5-15P	27 lbs.	
GRS-42-H	42" x 5⅜"	120	525	NEMA 5-15P	32 lbs.	
GRS-48-H	48" x 5⅜"	120	600	NEMA 5-15P	35 lbs.	
GRS-54-H	54" x 5⅜"	120	675	NEMA 5-15P	40 lbs.	
GRS-60-H	60" x 5⅜"	120	750	NEMA 5-15P	44 lbs.	
GRS-66-H	66" x 5⅜"	120	825	NEMA 5-15P	49 lbs.	
GRS-72-H	72" x 5⅜"	120	900	NEMA 5-15P	50 lbs.	

**GLO-RAY PORTABLE HEATED SHELVES continued...**

Model	Dimensions W x H	Voltage		Watts	Plug	Ship Weight
		Single Phase				
<b>21½" depth J</b>						
GRS-18-J	18" x 2¾"	120	300	NEMA 5-15P	19 lbs.	
GRS-24-J	24" x 2¾"	120	375	NEMA 5-15P	24 lbs.	
GRS-30-J	30" x 2¾"	120	450	NEMA 5-15P	30 lbs.	
GRS-36-J	36" x 5⅜"	120	525	NEMA 5-15P	33 lbs.	
GRS-42-J	42" x 5⅜"	120	675	NEMA 5-15P	39 lbs.	
GRS-48-J	48" x 5⅜"	120	750	NEMA 5-15P	45 lbs.	
GRS-54-J	54" x 5⅜"	120	825	NEMA 5-15P	49 lbs.	
GRS-60-J	60" x 5⅜"	120	900	NEMA 5-15P	53 lbs.	
GRS-66-J	66" x 5⅜"	120	975	NEMA 5-15P	60 lbs.	
GRS-72-J	72" x 5⅜"	120	1050	NEMA 5-15P	64 lbs.	
<b>23½" depth K</b>						
GRS-18-K	18" x 2¾"	120	325	NEMA 5-15P	19 lbs.	
GRS-24-K	24" x 2¾"	120	425	NEMA 5-15P	27 lbs.	
GRS-30-K	30" x 2¾"	120	525	NEMA 5-15P	33 lbs.	
GRS-36-K	36" x 5⅜"	120	625	NEMA 5-15P	36 lbs.	
GRS-42-K	42" x 5⅜"	120	750	NEMA 5-15P	43 lbs.	
GRS-48-K	48" x 5⅜"	120	850	NEMA 5-15P	48 lbs.	
GRS-54-K	54" x 5⅜"	120	950	NEMA 5-15P	52 lbs.	
GRS-60-K	60" x 5⅜"	120	1050	NEMA 5-15P	56 lbs.	
GRS-66-K	66" x 5⅜"	120	1150	NEMA 5-15P	68 lbs.	
GRS-72-K	72" x 5⅜"	120	1250	NEMA 5-15P	69 lbs.	
<b>25½" depth L</b>						
GRS-18-L	18" x 2¾"	120	350	NEMA 5-15P	22 lbs.	
GRS-24-L	24" x 2¾"	120	475	NEMA 5-15P	26 lbs.	
GRS-30-L	30" x 2¾"	120	600	NEMA 5-15P	33 lbs.	
GRS-36-L	36" x 5⅜"	120	725	NEMA 5-15P	37 lbs.	
GRS-42-L	42" x 5⅜"	120	825	NEMA 5-15P	43 lbs.	
GRS-48-L	48" x 5⅜"	120	950	NEMA 5-15P	50 lbs.	
GRS-54-L	54" x 5⅜"	120	1075	NEMA 5-15P	58 lbs.	
GRS-60-L	60" x 5⅜"	120	1200	NEMA 5-15P	60 lbs.	
GRS-66-L	66" x 5⅜"	120	1325	NEMA 5-15P	64 lbs.	
GRS-72-L	72" x 5⅜"	120	1450	NEMA 5-15P	69 lbs.	

All Glo-Ray Portable Heated Shelf Models Feature:  
Cord Location: Center of side with switch.

**OPTIONS AND ACCESSORIES – PAGE 8**





## Glo-Ray® Designer Portable Heated Shelves

Using a blanket heating element for an even temperature, the thermostatically-controlled base safely extends the holding time of your food. Hatco's Designer Portable Heated Shelves can blend into any décor.

- Built-in adjustable thermostatic controls
- Rounded edges and hardcoat aluminum surface offer a modern style for front-of-the-house applications
- Model widths from 30¼" to 78¼"
- Optional Dark Gray corner caps (Black standard) and Designer color inset panels available
- 4" legs standard on 30" and wider models

GR2S-30 with optional Designer Hunter Green inset panels and accessory pizza pans



### GLO-RAY DESIGNER PORTABLE HEATED SHELVES

Model*	Dimensions (W x D x H) Height includes legs	Voltage Single Phase	Watts	Plug	Ship Weight
GR2S-24	30¼" x 27" x 4"	120	350	NEMA 5-15P	37 lbs.
GR2S-30	36¼" x 27" x 7"	120	450	NEMA 5-15P	40 lbs.
GR2S-36	42¼" x 27" x 7"	120	550	NEMA 5-15P	45 lbs.
GR2S-42	48¼" x 27" x 7"	120	600	NEMA 5-15P	51 lbs.
GR2S-48	54¼" x 27" x 7"	120	700	NEMA 5-15P	56 lbs.
GR2S-54	60¼" x 27" x 7"	120	800	NEMA 5-15P	61 lbs.
GR2S-60	66¼" x 27" x 7"	120	900	NEMA 5-15P	67 lbs.
GR2S-66	72¼" x 27" x 7"	120	1000	NEMA 5-15P	75 lbs.
GR2S-72	78¼" x 27" x 7"	120	1100	NEMA 5-15P	82 lbs.

\* When no color is specified, color inset panels and corner caps will be black.

#### All Glo-Ray Designer Portable Heated Shelf Models Feature:

Pan Capacity (12" x 20"): GR2S-24 = 1-pan.

GR2S-30, -36 = 2-pan.

GR2S-42, -48 = 3-pan.

GR2S-54, -60 = 4-pan.

GR2S-66, -72 = 5-pan.

Usable Heated Shelf Space: (Width of unit minus 6⅝") x 21¼"D.

Cord Location: Center of side on control side.

### OPTIONS (available at time of purchase only)

Designer Colors (top surface not painted) – Non-standard colors are non-returnable – Clear Anodized standard –

RED	Warm Red
BLACK	Black
GRAY	Gray Granite
WHITE	White Granite
NAVY	Navy Blue
GREEN	Hunter Green
COPPER	Antique Copper

Designer Inset Panel Colors for GR2S models – Non-standard colors are non-returnable – Black standard –

RED	Warm Red
GRAY	Gray Granite
WHITE	White Granite
NAVY	Navy Blue
GREEN	Hunter Green
COPPER	Antique Copper

Designer Corner Caps for GR2S models – Non-standard colors are non-returnable – Black standard –

DKGRAY Dark Gray Corner Caps

Hardcoated Surface in lieu of Stainless Steel on standard 19 ½" deep GRS models only – Please consult factory for pricing of other depths –

HC 18-42	GRS-18 through GRS-42
HC 48-72	GRS-48 through GRS-72
GRS-RECTH	Thermostat Guard (GRS models only)



### ACCESSORIES (available for purchase at any time)

GRS-LEGS	4" Adjustable Legs (GRS models only – standard on units GRS-36 and wider)
2SD-LEGS	4" Adjustable Legs for GR2S-24 (standard on GR2S-30 and wider)
GRS-SLANT	Slant Leg Kit for models 12" deep or deeper (GRS models only)
<b>Pan Rail for 19½" deep GRS models only –</b>	
2 RAIL	2-pan
3 RAIL	3-pan
4 RAIL	4-pan
5 RAIL	5-pan

### FOOD PANS AND TRIVETS – PAGE 15 COLORS AND FINISHES – PAGE 15



## Glo-Ray® Simulated Stone Portable Rectangular Heated Shelves

Match the heat zone to your countertops with Hatco's Glo-Ray® Simulated Stone Portable Rectangular Heated Shelves. These portable foodsafe shelves come in three simulated stone colors and are ideal for buffet lines or as hors d'oeuvre displays. These unique warmers will safely hold food hot while blending in with your décor.

- Made of approved foodsafe materials
- Features a lighted rocker switch and thermostatically-controlled heated base to help hold your food hot and delicious
- Models with simulated stone are Swanstone®



GRSS-3618 in optional Bermuda Sand simulated stone (view of base)



GRSS-3618 in standard Night Sky simulated stone

### GLO-RAY SIMULATED STONE PORTABLE RECTANGULAR HEATED SHELVES

Model	Dimensions W x D x H	Voltage Single Phase	Watts	Plugs	Ship Weight
GRSS-2418	24" x 18" x 2½"	120	635	NEMA 5-15P	27 lbs.
GRSS-3018	30" x 18" x 2½"	120	780	NEMA 5-15P	30 lbs.
GRSS-3618	36" x 18" x 2½"	120	930	NEMA 5-15P	35 lbs.
GRSS-4818†	48" x 18" x 6¼"	120	1270	NEMA 5-15P	45 lbs.
GRSS-6018†	60" x 18" x 6¼"	120	1560	NEMA 5-20P	56 lbs.
GRSS-7218†	72" x 18" x 6¼"	120	1860	NEMA 5-20P	68 lbs.

† Height includes standard 4" legs.

All Glo-Ray Simulated Stone Portable Rectangular Heated Shelf Models Feature:


Cord Location: Center of side with switch.

#### OPTIONS (available at time of purchase only)

Simulated stone colors – Non-standard colors are non-returnable – Night Sky standard –

SS-GGRAN	Gray Granite
SS-BSAND	Bermuda Sand

**COLORS AND FINISHES – PAGE 15**





### Heated Base Glass Portable Rectangular Shelves

The Hatco Heated Base Glass Portable Rectangular Shelves have a heated ceramic glass surface to create uniform heat across the entire surface and are made of approved foodsafe materials. Adjustable thermostatic controls allow surface temperature ranging from 100°F to 195°F to be controlled easily.

- Shelves are made of approved foodsafe materials
- Equipped with a trim ring that is available in Stainless Steel (standard), Designer Black or White
- Lighted On/Off rocker switch
- All units come with a 6' cord and plug
- Surface is made of approved foodsafe materials



**HBG-FS-24** Black angled food stop (close-up view) with **HBG-TRIM-BLK** optional Designer Black trim ring



**HBG-2418** with standard Black glass and stainless steel trim ring



**HBG-2418** with optional White glass, frame and trim ring



#### HEATED BASE GLASS PORTABLE RECTANGULAR SHELVES

Model	Dimensions W x D x H	Voltage Single Phase	Watts	Plug	Ship Weight
<b>HBG-2418</b>	24 <sup>3</sup> / <sub>8</sub> " x 18 <sup>3</sup> / <sub>8</sub> " x 2 <sup>1</sup> / <sub>2</sub> "	120	425	NEMA 5-15P	29 lbs.
<b>HBG-3018</b>	30 <sup>3</sup> / <sub>8</sub> " x 18 <sup>3</sup> / <sub>8</sub> " x 2 <sup>1</sup> / <sub>2</sub> "	120	525	NEMA 5-15P	33 lbs.
<b>HBG-3618*</b>	36 <sup>3</sup> / <sub>8</sub> " x 18 <sup>3</sup> / <sub>8</sub> " x 6 <sup>1</sup> / <sub>8</sub> "	120	630	NEMA 5-15P	36 lbs.
<b>HBG-4818*~</b>	48 <sup>3</sup> / <sub>8</sub> " x 18 <sup>3</sup> / <sub>8</sub> " x 6 <sup>1</sup> / <sub>8</sub> "	120	850	NEMA 5-15P	42 lbs.
<b>HBG-6018*~</b>	60 <sup>3</sup> / <sub>8</sub> " x 18 <sup>3</sup> / <sub>8</sub> " x 6 <sup>1</sup> / <sub>8</sub> "	120	1050	NEMA 5-15P	60 lbs.
<b>HBG-7218*~</b>	72 <sup>3</sup> / <sub>8</sub> " x 18 <sup>3</sup> / <sub>8</sub> " x 6 <sup>1</sup> / <sub>8</sub> "	120	1260	NEMA 5-15P	68 lbs.

\* Height includes standard 4" legs.

~ Units 48" and larger are constructed of two equal sized pieces of glass which create a seam.

**All Heated Base Glass Portable Rectangular Shelf Models Feature:**

Cord Location: Center of side with switch.

#### OPTIONS (available at time of purchase only)

**Ceramic Glass Color – Non-standard colors are non-returnable – Black standard –**  
**HBG-GLASS-WHT** White

**Angled Food Stop keeps product on the heat zone – Choose size/color –**

**HBG-FS-24** For 24" models in Designer Black

**HBG-FS-30** For 30" models in Designer Black

**HBG-FS-36** For 36" models in Designer Black

**HBG-FS-48** For 48" models in Designer Black

**HBG-FS-60** For 60" models in Designer Black

**HBG-FS-72** For 72" models in Designer Black

**HBG-FSW-24** For 24" models in White

**HBG-FSW-30** For 30" models in White

**HBG-FSW-36** For 36" models in White

**HBG-FSW-48** For 48" models in White

**HBG-FSW-60** For 60" models in White

**HBG-FSW-72** For 72" models in White

**Trim Ring – Stainless Steel standard –**


**HBG-TRIM-BLK** Designer Black

**HBG-TRIM-WHT** White

**Frame (Base) Color – Non-standard colors are non-returnable – Black standard –**

**HBG-FRAME-WHT** White

#### COLORS AND FINISHES – PAGE 15



## Heated Base Glass Modular Portable Shelf

Hatco's Heated Base Glass Modular Portable Shelf creates uniform heat across the entire top surface. The new design uses a modular system, so units can be placed side-by-side. This allows for marvelous flexibility in buffet areas.

- Unit's glass surface accommodates one 12" x 20" food pan
- Thermostatically-controlled with five settings: 130°F, 150°F, 165°F, 185°F and 200°F
- Durable stainless steel housing
- Simple design for easy cleaning and maintenance
- All units come with a 6' cord and plug, located under control side of unit



HGSM-1P

### HEATED BASE GLASS MODULAR PORTABLE GLASS SHELF

Model <sup>◊</sup>	Dimensions W x D x H	Voltage Single Phase	Watts	Plug	Ship Weight
HGSM-1P	15 <sup>3</sup> / <sub>4</sub> " x 23 <sup>5</sup> / <sub>8</sub> " x 2 <sup>5</sup> / <sub>16</sub> "	120	300	NEMA 5-15P	16 lbs.

<sup>◊</sup> No direct food contact on surface - use pans.

**All Heated Base Glass Modular Portable Shelf Models Feature:**

**Cord Location:** 72" cord located under control side of unit.





## Glo-Ray® Mini-Merchandisers

Hatco's convenient Glo-Ray® Mini-Merchandisers create impulse sales by placing fresh product in front of customers. Using limited amount of valuable counterspace, these flexible warmers come in a variety of shapes, sizes and colors to hold food samples, hors d'oeuvres and packaged product at just the right temperature.

- Ideal for areas with limited counterspace
- Thermostatically-controlled heated base extends holding times of most foods
- Pre-focused infrared top heat directs heat to the outer edges where heat loss is the greatest
- Food stop, 4" food bins are standard (GRHW-1SG and -1SGS only)
- Lighted rocker switch for easy On/Off

**GRHW-1SGS**  
with standard bins



**GRHW-2P** with standard 4" legs and accessory food pans



**GRHW-1SGDS** in standard Designer Black

### GLO-RAY MINI-MERCHANDISERS

Model	Description	Dimensions		Voltage	Watts	Plug	Base/Shelf Dimensions	Ship Weight
		W x D x H	Includes sneeze guard					
<b>Single Shelf</b>								
GRHW-1P	Hors d'oeuvres warmer, 2 bulbs	22¼" x 16⅝" x 17¼"		120	820	NEMA 5-15P	21" x 13¾"	35 lbs.
GRHW-2P <sup>▲</sup>	Hors d'oeuvres warmer, 4 bulbs	43¼" x 16⅝" x 20¾"		120	1640	NEMA 5-15P	42" x 13¾"	67 lbs.
GRHW-1SG	Single horizontal shelf, 2 bulbs	22¼" x 16⅝" x 17¾"		120	820	NEMA 5-15P	21" x 13¾"	37 lbs.
GRHW-1SGS	Single slanted shelf, 2 bulbs	22¼" x 16⅝" x 18¼"		120	820	NEMA 5-15P	21" x 14¼"	40 lbs.
<b>Dual Shelf</b>								
GRHW-1SGD	Dual shelf, 4 bulbs	227⁄8" x 2013⁄16" x 23½"		120	1330	NEMA 5-15P	Bottom: 21" x 13¾" Top: 21" x 14"	40 lbs.
GRHW-1SGDS	Hardcoated & slanted base, 4 bulbs	225⁄8" x 21" x 235⁄8"		120	1330	NEMA 5-15P	Bottom: 21" x 14¼" Top: 21" x 14"	40 lbs.

▲ Canadian model uses NEMA 5-20P.

#### All Glo-Ray Mini-Merchandiser Models Feature:

Included with Merchandiser: Thermostatically-controlled base, 7½" sneeze guard, display lights, 1" rubber legs (except GRHW-2P has 4" legs), five 4" bins (for GRHW-1SG, -1SGS only), 6' cord & plug.

Cord Location: GRHW-1SGD, -1SGDS: Control side, bottom right.

All Other Models: Base end plate, same side as switch.

### OPTIONS (available at time of purchase only)

Designer Colors – Non-standard colors are non-returnable – Clear Anodized Aluminum standard (Designer Black standard for GRHW-1SGD, 1SGDS models) –


RED	Warm Red
BLACK	Black
GRAY	Gray Granite
WHITE	White Granite
NAVY	Navy Blue
GREEN	Hunter Green
COPPER	Antique Copper
HAL	60W Halogen Bulb in lieu of standard Display Light
PANEL	Plexi-Glass Side Panels (GRHW-1P, -2P, -1SG only)
1SGD-SLOPE	Sloped Front Sign Holder (GRHW-1SGD, -1SGDS only)

### ACCESSORIES (available for purchase at any time)

4"LEGS 4" Adjustable Legs (GRHW-1P, -1SG only) – standard on GRHW-2P

FOOD PANS AND TRIVETS – PAGE 15

COLORS AND FINISHES – PAGE 15



## Glo-Ray® Buffet Warmers

Hold hot food at optimum serving temperatures on buffet lines or at temporary serving areas with Hatco Glo-Ray® Buffet Warmers. Choose from either Standard or *Designer* style models in many widths to fit your operation.

- Available with *Designer* color inset panels and the choice of an entire unit in color as well
- Thermostatically-controlled heated base of 80°- 200°F extends holding times of most foods
- Pre-focused infrared top heat directs heat to the outer edges where heat loss is greatest
- Sturdy plexi-glass sneeze guard
- Shatter-resistant incandescent lights enhance product displays while safeguarding food from bulb breakage
- Available in a variety of widths from 25"-78¼"
- Optional infinite control for top heat only



GRBW-30 with optional *Designer* color and accessory food pans



GR2BW-30 with optional *Designer* Warm Red inset panels and accessory food pans



GR2BW-30 in optional *Designer* Black with plexi-glass side enclosures and accessory food pans

### GLO-RAY BUFFET WARMERS

Model	No. of Light Bulbs	Dimensions (W x D x H) <i>Includes sneeze guard</i>	Maximum Pan Capacity 12" x 20" Pan	Voltage	Watts	Plugs	Ship Weight
GRBW-24 <sup>†</sup>	2	25" x 22½" x 17¾"	1	120	970	NEMA 5-15P	46 lbs.
GRBW-30 <sup>†</sup>	2	31" x 22½" x 17¾"	2	120	1230	NEMA 5-15P	52 lbs.
GRBW-36 <sup>†▲</sup>	3	37" x 22½" x 20¾"	2	120	1530	NEMA 5-15P	58 lbs.
GRBW-42 <sup>†▲</sup>	3	43" x 22½" x 20¾"	3	120	1730	NEMA 5-15P	68 lbs.
GRBW-48 <sup>†*</sup>	4	49" x 22½" x 20¾"	3	120	2040	NEMA 5-20P	75 lbs.
GRBW-54	4	55" x 22½" x 20¾"	4	120/208-240	2290	NEMA L14-20P	81 lbs.
GRBW-60	5	61" x 22½" x 20¾"	4	120/208-240	2600	NEMA L14-20P	90 lbs.
GRBW-66	5	67" x 22½" x 20¾"	5	120/208-240	2860	NEMA L14-20P	96 lbs.
GRBW-72	5	73" x 22½" x 20¾"	5	120/208-240	3125	NEMA L14-20P	107 lbs.

† Available in 120/208-240V, NEMA L14-20P.

▲ Canadian models use NEMA 5-20P.

\* Not available in 120V for Canada.

**All Glo-Ray Buffet Warmer Models Feature:**

GRBW base dimensions: 25"-73"W x 19½"D.

Cord Location: Base end plate, same side as switch.

### GLO-RAY DESIGNER BUFFET WARMERS

Model <sup>×</sup>	No. of Light Bulbs	Dimensions (W x D x H) <i>Includes sneeze guard</i>	Maximum Pan Capacity 12" x 20" Pan	Voltage	Watts	Plugs	Ship Weight
GR2BW-24 <sup>†</sup>	2	30¼" x 27" x 19"	1	120	970	NEMA 5-15P	76 lbs.
GR2BW-30 <sup>†</sup>	2	36¼" x 27" x 22"	2	120	1230	NEMA 5-15P	85 lbs.
GR2BW-36 <sup>†▲</sup>	2	42¼" x 27" x 22"	2	120	1470	NEMA 5-15P	97 lbs.
GR2BW-42 <sup>†▲</sup>	4	48¼" x 27" x 22"	3	120	1790	NEMA 5-15P	110 lbs.
GR2BW-48 <sup>†*</sup>	4	54¼" x 27" x 22"	3	120	2040	NEMA 5-20P	125 lbs.
GR2BW-54 <sup>†*</sup>	4	60¼" x 27" x 22"	4	120	2290	NEMA 5-20P	130 lbs.
GR2BW-60	6	66¼" x 27" x 22"	4	120/208-240	2660	NEMA L14-20P	154 lbs.
GR2BW-66	6	72¼" x 27" x 22"	5	120/208-240	2920	NEMA L14-20P	169 lbs.
GR2BW-72	6	78¼" x 27" x 22"	5	120/208-240	3185	NEMA L14-20P	186 lbs.

<sup>×</sup> When no color is specified, color inset panels and corner caps will be black.

† Available in 120/208-240V, NEMA L14-20P.

▲ Canadian models use NEMA 5-20P.


\* Not available in 120V for Canada.

**All Glo-Ray Designer Buffet Warmer Models Feature:**

Usable Heated Shelf Space: Width of unit minus 6½" x 21¾"D.

Cord Location: Center of bottom on control side.

### OPTIONS AND ACCESSORIES – PAGE 14





GRBW-30 with accessory food pans



**OPTIONS** (available at time of purchase only)

**Designer Colors – Non-standard colors are non-returnable – Clear Anodized Aluminum standard –**

RED	Warm Red
BLACK	Black
GRAY	Gray Granite
WHITE	White Granite
NAVY	Navy Blue
GREEN	Hunter Green
COPPER	Antique Copper

**Designer Inset Panel Colors for GR2BW models – Non-standard colors are non-returnable – Black standard –**

RED	Warm Red
GRAY	Gray Granite
WHITE	White Granite
NAVY	Navy Blue
GREEN	Hunter Green
COPPER	Antique Copper

**Designer Corner Caps for GR2BW models – Non-standard colors are non-returnable – Black standard –**

DKGRAY	Dark Gray
--------	-----------

**Plexi-Glass Front and two Side Enclosures in lieu of Sneeze Guards –**

**Available for GRBW-24, -30, -36, -42 and -48 models only –**

FRTENCL-24, -30	-24 and -30 models
FRTENCL-36, -42, -48	-36, -42 and -48 models
SIDE-ENCL	Two Plexi-Glass Side Enclosures (GRBW models only)
SIDE-ENCL2	Two Plexi-Glass Side Enclosures (GR2BW models only)

**Hardcoated Surface for GRBW models –**

HC 24-42	GRBW-24 through GRBW-42
HC 48-72	GRBW-48 through GRBW-72
INF	Infinite Control for top heat only (GRBW-24 through GRBW-60 and GR2BW-24 through GR2BW-60 models only)
9.375BP	9 $\frac{3}{8}$ " Sneeze Guard in lieu of standard 7 $\frac{1}{2}$ " (GRBW models only)
14BP	14" Sneeze Guard in lieu of standard 7 $\frac{1}{2}$ "
HAL	60W Halogen Bulb in lieu of standard Display Light

**ACCESSORIES**

GRBW-LEGS	4" Adjustable Legs for GRBW-24 models (standard on GRBW-36 or wider)
2SD-LEGS	4" Designer Legs for GR2BW-24 models (standard on GR2BW-30 or wider)

**Pan Rail for GRBW models (not for use with Plexi-Glass Front Enclosure) –**

2 RAIL	2-Pan
3 RAIL	3-Pan
4 RAIL	4-Pan
5 RAIL	5-Pan

**Chef LED 120V Adjustable Bulb –**

CLED-2700-120	Warm light	CLED-3000-120	Warm light	CLED-4000-120	Cool light
---------------	------------	---------------	------------	---------------	------------

**FOOD PANS AND TRIVETS – PAGE 15**

**COLORS AND FINISHES – PAGE 15**



2SD-LEGS



2 RAIL



3 RAIL




Chef LED Bulb

## Food Pans And Trivets



### FOOD PANS

Model	Description
ALUM PAN	Half-Size Sheet Pan – 18"W x 13"D
18"SHEET PAN	Full-Size Sheet Pan – 18"W x 26"D
14"PIZZA PAN	Perforated Pizza Pan – 14" Diameter
16"PIZZA PAN	Perforated Pizza Pan – 16" Diameter
18"PIZZA PAN	Perforated Pizza Pan – 18" Diameter
ST PAN 1/3	Third-Size Stainless Steel Pan – 12¾"W x 6⅞"D x 2½"H
ST PAN 1/2	Half-Size Stainless Steel Pan – 12¾"W x 10⅞"D x 2½"H
ST PAN 2	Full-Size Stainless Steel Pan – 12¾"W x 20¾"D x 2½"H
ST PAN 4	Full-Size Stainless Steel Pan – 12¾"W x 20¾"D x 4"H



### TRIVETS

Model	Description
Wire Trivets Stainless –	
TRIVET (1/2)SS	Half-Size – 10⅞"W x 7⅞"D
TRIVET SS	Full-Size – 10⅞"W x 18"D

## Paint Chip and Stone Sample Colors

### DESIGNER COLORS



### SIMULATED STONE COLORS\*



Colors are a representation and may not exactly match our colors.  
Consult factory for possible color matching options on these colors.  
Non-standard colors are non-returnable.

To order a Hatco Paint Chip & Stone Sample Colors Sheet, visit [www.hatcocorp.com](http://www.hatcocorp.com) / Order Literature / Sales Literature / Sell Sheets.

\* Simulated Stone is Swanstone®

Sturgeon Bay, WI 54235 U.S.A. Telephone: (800) 558-0607 or (414) 671-6350 [hatcocorp.com](http://hatcocorp.com)



Scan with web-enabled  
mobile device to visit  
[www.hatcocorp.com](http://www.hatcocorp.com)

## Hatco Corporation

P.O. BOX 340500 | Milwaukee, WI 53234-0500 USA

800-558-0607 | 414-671-6350

[www.hatcocorp.com](http://www.hatcocorp.com) | [support@hatcocorp.com](mailto:support@hatcocorp.com)