

Professionnal induction hob

Keep warm product

User's guide For your induction hob



Dear Customer,

We would like to congratulate you on the purchase of your **ADVENTYS** product.

This one has been manufactured according to the very latest developments, using modern, safe electrical and electronic components.

Please take the time to read this user's guide before using this appliance.

Thank you for your confidence in our products.

Contents

Technical information	20
Declaration of Compliance	20
Content of packaging	21
Precaution of installation	21
Product integration	22
Command integration	24
First used	28
Using your hob safety	30
Operating instruction	
- Switch ON and Switch OFF the device	31
- Timer setting	31
- Temperature setting	32
- Locking the keyboard	32
- Display specific message	32
Cookware recommended	33
How to maintain and care for your hob	34
Small problems and their remedies	35
Garantee	36

Throughout this guide: this simbol



Indicates important Safety information

Technical specifications

Model:	Z1IC UC STONE / INDUC-STONE
Name:	Keep warm Integrated induction hob
Matérials:	Stainless steel and EZ
Power:	650W
Electricity supply:	single phase 230V +/-10% 50Hz
Current:	3A Max
Controls	4 Capacitive touches and timer
Dimensions of appliance integrated	W 340 X D 340 X H 173 mm
Dimensions of appliance buit-in	W 376 X D 376 X H 173 mm
Dimensions of the inductor:	210 mm
Maximun weight allowed on the appliance:	20 kg
Net weight of the appliance:	6 Kg



Emission of electromagnetic radiation not ionisante for the human body. The emitted energy is insufficient to cause the ionization.



CAUTION: presence of dangerous tension inside the product.


Compliance and waste statement



This product complies with current EU directives. We certify this in the EU compliance statement. We can send you a copy of the compliance statement in question if required.

The packing materials in which this appliance is packed are recyclable. Please recycle them by disposing of them in the appropriate containers at your local facility. In so doing, you will be making a contribution to the protection of the environment.

At the end of its useful life, the appliance to be scrapped must be destroyed in accordance with the applicable national regulations that govern the elimination and recycling of waste. We recommend you contact a company that specialises in waste disposal.



WARNING :

To avoid all risks associated with the destruction of the appliance, ensure that it is disconnected from themains and that the mains cable is removed.


PLEASE NOTE !

When destroying the appliance, local rules and the applicable regulations in your country or geographical zone must be adhered to.


Contents of the packaging:



Induction Kit




Command



One ADVENTYS spacer

Precaution of installation:

1) Stay up has to leave a distance between the edge of the counter top and the edge of the KIT of at least 20mm as well as between 2 KITS.



2) The thickness of granite has to be maximum 20 mm












3) it is necessary to bring of the fresh air through a pipe that it is necessary to link on the present funnel under the device

4) During the installation make sure that the present sensor of temperature in the middle of the kit have a good contact with the granite.

5) Assure a good aeration of the piece of furniture where the Kit was installed, to allow the evacuation of the hot air stemming from ventilators of the induction kit .








6) Think of locating well the center of the inductor.

Installation by gluing

<p>N°: Action:</p> <p>01 Unpacking Check that the product matches the product below</p> 	<p>N°: Action:</p> <p>02 Uncoupling frame Unscrew the screws according to indications.</p> 	<p>N°: Action:</p> <p>03 Separate the frame</p> 
<p>N°: Action:</p> <p>04 Cleaning of the frame and the support</p> 	<p>N°: Action:</p> <p>05 Apply silicone - glue along frame</p> 	<p>N°: Action:</p> <p>06 Stick the frame on the support By resting strongly to crush the glue</p> 
<p>N°: Action:</p> <p>07 Cleaning Overflow silicone After drying cut the glue overflows in The vertical edges of reinforcements.</p> 	<p>N°: Action:</p> <p>08 Technical part fixing Replace with a good tightening all screws.</p> 	<p>N°: Action:</p> <p>09 Air supply connection Connecting the fresh air inlet funnel is Mandatory (d 100 mm)</p> 
<p>N°: Action:</p> <p>10 Connect the comand</p> 	<p>N°: Action:</p> <p>11 Electrical connection make the electrical connections according to indications.</p> 	<p>N°: Action:</p>

Product Integration

Installation by embedding


<p>N°: Action:</p> <p>01 Unpacking Check that the product matches the product below</p> 	<p>N°: Action:</p> <p>02 realize a cut in dimensions 310 x 326 mm</p> 	<p>N°: Action:</p> <p>03 Install the kit in the cut</p> 
<p>N°: Action:</p> <p>04 Cover the kit by the work plan</p> 	<p>N°: Action:</p> <p>05 Air supply connection Connecting the fresh air inlet funnel is Mandatory (d 100 mm)</p> 	<p>N°: Action:</p> <p>06 Connect the comand</p> 
<p>N°: Action:</p> <p>07 Electrical connection make the electrical connections according to indications.</p> 		

Installing the command:

4 touches control panel :

Option 1 : Built-in integration :

Realize a cut out of : 162 x 46 mm and put directly the control into the cut out.




Drop your remote control into the counter.

(To improve the waterproofness, it is recommended to add a silicone joint under the glass).




Buit-in installation



Installing the command:


Option 2 : Integrated installation :

Realize a cut out of : 176 x 62mm. You will have to create a fixation between the control and your structure.



Installing the command:


Insert the control panel & push it in to create a flushed finish :



Silicone joint and flushed finish



First used



- 1:** Use a material for the top of the work plan validated by ADVENTYS
Material thickness maximum 20mm
Identify the center of the home by a device of your choice.
- 2:** Always position the spacer between the top and the " chafing dish "
For the first used make the regulation of the table by following the modus operandi on the following page.
- 3:** Connect a tube to take in fresh air.

First used

To define wich level you must used tu regulate your temperature. Follow these instruction:

Step 1:

Place the spacer under the chaffing dish.

Step 2:

Place the « chaffing dish » on the spacer.

Step 3:

Fill with hot water, the « chaffing dish ». Then place a thermometer in the water and **close the lid**.

Step 4:

Set the level 10 on the keyboard.

Step 5:

After 1 hour verify the temperature on the thermometer.

If the temperature is not the temperature you need*, Adjust the level to find the desirated temperature.

Each level of regulation corresponds in approximately: 3°C +/-1°C

* According to the current rules (of preservation of the food) in the country of marketing, in the case of keep warm function.

Appliance exclusively for use with a device function keeps warm food under a worktop Granite or other types (Validated by ADVENTYS previously).


The user owes necessarily used the spacer and to position him between the element to be warmed and the granite.

Using your hob safety

The induction principle

After the appliance is switched on and a power level is selected, electronic circuits produce induced currents in the base of the pan which instantly transmits the heat produced to the foodstuffs. Cooking takes place with **practically no energy loss** with a very high energy output.

If you have a heart pacemaker Or other active implant fitted :



The functioning of the hob complies with the currently applicable norms concerning electromagnetic disturbance. Your induction cooking hob therefore fully meets the legal requirements (89/336/CEE directives). It has been designed not to cause disturbance to other electric appliances insofar as they also meet the requirements of the same regulations. Your induction hob emits magnetic fields in its immediate surroundings.

To avoid the possibility of interference between your cooking hob and a heart pacemaker, the latter must be designed to comply with the regulations that apply to it.

In this respect, we can therefore only guarantee the compliance of our own appliance. With regard to the compliance of a heart pacemaker or any eventual incompatibility, we recommend that you consult its manufacturer or your doctor.



If a crack appears in the surface of the glass, disconnect the appliance immediately from the mains supply to avoid the risk of electric shock. To do this, remove the fuses or operate the cut-off switch.

Do not use your appliance again until the vitroc ceramic glass has been replaced.

Only appropriate cookware should be placed on the hob. Do not put any other object on it, no matter what it is. Ensure that the mains cable of any electric appliance that is plugged into a socket located in the immediate vicinity of the hob does not come into contact with the cooking zones.

When cooking, never use aluminium foil and never place products that are wrapped in aluminium or frozen products in aluminium trays, on the hob. The aluminium will melt and will permanently damage your appliance.

Do not clean your hob with huge amounts of water. Use a little bit of household alcohol.

Do not use a steam cleaner.

If the mains cable is damaged, it must be replaced by the manufacturer, their After Sales Service or a person with similar qualifications to avoid risk.

This appliance is not intended for use by anyone (including children) whose physical, sensory or mental capacities are reduced, or lacking experience or knowledge, unless they have been able to benefit from prior instructions as to the use of the appliance or supervision by a person who is responsible for their safety.

Supervise children to ensure that they do not play with the appliance.

Users should exercise caution if wearing items such as rings, watches or similar objects when using the appliance since these may heat up when positioned very close to the cooking surface.


Only use pans of the type and size recommended.

Repairs must only be carried out by a technician who has been trained or recommended by the manufacturer.

Take care that the coating and the surrounding areas do not contain metal surfaces.

Your induction cooking appliance is not intended to be operated by means of an external timer or a separate remote control.

Detached command



Switch On the device

Connect the BLUE/ BROWN wire on NEUTRAL of the electric socket.
Connect the GREY/BLACK wire on PHASE of the electric socket.
Connect the GREEN and YELLOW wire on GROUND of the electric socket.



Connect your device on the adapted electric socket of a single-phase network 230 V, 50 Hz.

Press the « **ON/OFF** » touch to switch on the device. The value « 0 » displays on the indicator of power. Still no power is sent at that point.

Press either the LEVEL touches **(+)** to send power to the pan. The power display indicates the temperature level set into the pan.

Switch Off the device

Press the « **ON/OFF** » touch to switch off the product. The power is cut and the display turns off.

Timer setting

For activate the timer press the **(timer)** touch. The timer light switch on and there is « **ti** » message on the display for 3 second.



Press **(+)** and **(-)** to adjust the timer. The duration of the timer is between 1 and 99 minutes.

The end of the timer forces the stop of the power. The product is automatically switched off. To stop the sound emitted at the end of the timer, a brief press on any touches is enough.

For desactivate the timer press the **(timer)** touch. The timer light switch off and there is « **te** » message on the display for 3 second.


Operating instruction

Temperature setting

Place an induction-friendly pan on the spacer to start using the product. The indicates the level of regulation. Make sure the pan is not empty. If the spacer is not used the product didn't work well and the temperature could be false.

To adjust the temperature level press **(+)** or **(-)** LEVEL .

Temperature level: from **1** to **20**



* (The temperature can varied according to the pan and/or the material of the counter top)

As soon as the pan is removed from the cooking zone, the temperature display indicates the absence of the pan by a blinking. There is close to no consumption of power. If the temperature display flashes when the pan recovers the cooking zone, it means that the material of the pan is not coompatible with the induction technologie.

Lock the keyboard

By pressing simultaneously **(+)** and **(-)**, you can lock the keyboard. To unlock the keyboard you have to press simultaneously **(+)** and **(-)**.

Display of specific message

The device is extremely safe. It makes a permanent control of the values of temperature and other electric parameters to guarantee to the user the best level of performance and safety at every moment.

A flashing error code « **Fx** » can appear on the display to warn about a malfunctioning.

The code error flashing is effective as long as the user doesn't stop the device manually unplug and replug the unit, and then relaunch the device using the « **On/Off** » touch.

If a code error becomes permanent without having the possibility of cancelling it by trying to relaunch the device, it is advised to get in touch with the after-sales service specified by the retailer of the product.

Cookware Recommended

Your induction hob is able to recognize the majority of pans and recipients.

Testing a pan: place the pan on the cooking zone with a temperature level set : **if indicator stays on**, your pan is **compatible**, if it **flashes**, your pan **has not been recognised and cannot be used**.

You can also test with the aid of a magnet: if it "sticks" to the base of the pan, then the pan is compatible with induction technology.

Induction-compatible pans are:

- **enamelled steel pans** with or without a nonstick coating.
- **stainless-steel pans** designed for induction. Most stainless steel pans are suitable if they pass the pan test.
- **cast-iron pans** with or without an enamelled base.

- **aluminium pans with special bases.**

• **NOTE**

Pans made from glass, ceramic material, clay, aluminium (without special pan base), and copper, as well as certain non-magnetic stainless steels are not compatible with induction cooking. The indicator for the power level selected will flash to inform you of this.



Containers made of plastic must not be placed on hot surfaces

How to maintain and care for your hob

Avoid shocks when handling the pans.

The glass surface is very strong, however it is not unbreakable.

Avoid rubbing the pans over the surface of the appliance.

Centre your pan on the induction cooking zone.

Do not leave an empty pan on the induction zone.

Do not pre-heat foodstuffs on the **highest power setting** if you are using a pan with an anti-stick coating (of the teflon type) without or with a tiny amount of cooking fat or oil.

Do not heat an unopened tin can, as it might burst.


All these defects that do not cause a non operation or inability to use are not covered by the guarantee.



Do not leave metal cooking utensils, lids, knives or any other metal objects on the inductioncooking zone. These objects are liable to heat up if they remain too close to the magnetic field generated by the induction cooking zone.

How to maintain and care for your hob

Clean approximately every week with soapy water the filter placed under your device (or put it in the dishwasher). Put it back very dry before any use. This filter protects your device from dust and fats.



Your device is cleaned easily, to help you, here is some advice:

Type of spots	How to proceed	Use
Slight	Dilute well the zone to clean with hot water then wipe.	Sanitary sponges
Accumulation of recooked spots	Dilute well the zone to clean with hot water, use a special scraper for glass to rough-hew, finish with the scraper side of a sanitary sponge, then wipe.	Sanitary sponges special scraper for glass
Haloos and tracks of limestone	Apply some hot spirit vinegar to the spot, let act, wipe with a soft cloth. Use a domestic product.	Special vitroceramic glass dough
Inlays following the overflowing of sugar, aluminium or molten plastic	Apply to the surface a special product for vitroceramic glass, rather containing some silicone (protective effect).	Special vitroceramic glass product



Small problems and their remedies

If you think that your hob is not functioning correctly this does not necessarily mean that a fault has occurred. Please verify the following in all cases :

YOU NOTICE THAT ...	POSSIBLE CAUSES	WHAT YOU CAN DO
When putting into service, a bright display appears	Regular functioning	NOTHING: everything is normal
When putting into service, your installation short-circuits	The connection of you device is defective	Verify your connection or the conformity of the connection
The ventilation continues a few minutes after stopping the device	Cooling of the device	It's normal
The device doesn't work. The display on the casing stays off	The device is not supplied. The supply or the connection is defective	Inspect fuses and the circuit breaker of your electric installation
« F- » appears on the display	There is a touch activated permanently on the control keyboard	If the default doesn't disappear, call the after-sales service
« F7 » appears on the display	Electric circuits are over heating	Inspect the ventilation of the device and check if it is operational
The device doesn't work, another code appears on the display	Electric circuits doesn't work well	Call the after-sales service
After switching on the device and starting the cooking zone, the selected indicator continues to flash	The pan you are using is not compatible with the induction technology or is of a diameter smaller than 12 cm	See « Cookware Recommended section »
Pan makes noise while cooking	It's a vibration generated by the circulation of the current in the pan	This phenomenon is normal with some type of pans. There is no danger
The device releases a smell during the first cookings	New device	Run the cooking during half an hour with a pan full of water

If the vitroceramic hob suffers a breakage, split or crack, no matter how small, disconnect the appliance immediately and contact After-Sales Service.

Garantee

Keep the proof of purchase to use the guarantee service of your product.

Any modification such as drilling, welding, criimping, clinching, etc., is not permitted and is not covered by the manufacturer's warrenty.

Any wrong modification or installation, which does not respect ADVENTYS' standards, is not covered by the manufacturer's warranty and will be permanently suspended.

The guarantee is subject to the non-modification of the product and its mechanical and electrical specifications. Opening the product cancels any form of warranty.

Any defects in appearance caused by the use of abrasive products or friction of cookware on the ceramic glass hob that does not result in a non-functioning or inability to use the appliance is not covered in the guarantee. The vitroceramic glass and the casing are not subject to warranty.

ANY REPAIRS MUST BE CARRIED OUT BY A QUALIFIED TECHNICIAN APPROVED BY ADVENTYS.

Only the distributors of our brand:

- **KNOW YOUR APPLIANCE PERFECTLY AND HOW IT WORKS.**
- **FULLY APPLY OUR METHODS OF ADJUSTEMENT, MAINTENANCE AND REPAIRS.**
- **USE ONLY ORIGINAL SPARE PARTS.**

In case of a claim or if you wish to order spare parts from your distributor, please specify the full reference numbers of your appliance (appliance type and serial number). This information appears on the plate fixed under the metal casing of the appliance.

The descriptions and characteristics given in this booklet are for information purposes only and do not imply commitment from the manufacturer. Concerned about the quality of our products, we reserve the right to carry out necessary changes or improvements without prior notice.

Original spare parts: ask your retailer for certified original spare parts during a maintenance operation.



Made In France