

OMNIBLEND V HEAVY DUTY PROFESSIONAL BLENDER



USER MANUAL

HEAVY DUTY BLENDER

ETS2

V2 07/24

DISTRIBUTED BY:




www.southernhospitality.co.nz

Reward
Hospitality

www.rewardhospitality.com.au

Parts



Operating from Control Panel (Quick Guide)

1. Insert the power plug into an electric outlet.
2. Turn on the main power switch (Press from the surface waterproof transparent cover).
3. Place the properly filled blender jar on the base, make sure the jar is sealed all the way down and attach the lid securely.
4. Manual operation: Select HIGH, MED LOW or PULSE (the fastest speed when depressing down the switch and holding down as long as needed).
5. Automatic cycle operation: Press 35", 60" or 90" for automatic blend and shut off.
6. The red LED display during operation, a long beep sound reminds finish of the automatic cycle operation.

NOTE: To stop the operation at any time by touch any button.

Operating Instructions

1. Always place some liquids into container when crushing ice cubes.
2. Never operate the blender while the container is empty.
3. Do not attempt to remove or replace while the motor is running.
4. Never run motor while container is not in place.
5. As this blender is a high speed unit, blending times are greatly reduced from normal blenders; long time overuse will hot up the food or beverage.
6. Place blender base on a flat, clean and dry surface.
7. If the drink is mixing well but has not had enough time for complete blending, try a longer cycle or touch and hold the PULSE button for required extra blending time.
8. Make sure the drive shaft on the jar is fully engaged into the drive socket and that the blade is firmly affixed to the drive shaft.
9. Please wipe all water off the cushion before starting operations. Any water present could be pulled in and will cause damage to the motor.

Cleaning

Warning: Unplug the power cord to ensure safety

1. Place a little warm water with detergent into container.
Place on lid and switch the blender on for approximately 10 seconds.
Empty container, rinse and leave upturned on a bench to dry.
(The motor power is very strong so you can remove most of the residual foods easily by just using warm water and detergent.)
Do not clean inside of container by hand unless cutting unit has been removed.
2. To clean motor base use a slightly damp cloth only. (Never immerse motor base in water).

Troubleshooting

Warning: Unplug the power cord to ensure safety

1. This blender is fitted with a safety overload switch at the rear of the machine. If the motor is overloaded, the power will be cut automatically to ensure safety, please check and remove the unsuitable blending goods, then press the reset button (on back) to start again.
2. Check the power cord is attached correctly to the blender.
3. If your blender is still not functioning correctly, please contact with your purchased shop or nearest distributor, please refer to the warranty card, do not attempt to open and repair by yourself.
4. If the power cord damage, it must be replaced or repaired by a qualified electrician or engineer in order to avoid a hazard.
5. The cutting unit will be worn out after long term use, if the water leaks out, it must be replaced, please contact with your purchased shop, distributors or our after service centres.

Important Safeguards

Read all instructions

- To protect against risk of electrical shock, do not place blender base or power supply cord in water or in any liquid.
- Close supervision is necessary when the appliance is used by or near children..
- Unplug from outlet when not in use, before putting on or taking off parts and before cleaning.
- Avoid touching moving parts.
- Do not operate the appliance with a damaged cord or plug or after the appliance malfunctions or is dropped or damaged in any manner.
- Return appliance to nearest authorised service facility for examination, repair, or electrical; or mechanical adjustment.
- Do not use outdoors. This appliance is for indoor use only.
- Do not let cord hang over the edge of the table or counter.
- Keep hands and utensils out of the jug while operating to reduce risk of severe injury or damage. A scraper may be used only when the blender is OFF.
- Blades are sharp. Handle carefully.
- To reduce the risk of injury, never place cutting blade assembly on base without ensuring the jug is properly attached; never remove the jug during operation.
- Only operate the blender with the lid in place.
- The manufacturer does not recommend use of attachments, including canning jugs, because these may cause injury.
- Jug should not be more than 2/3 full when blending
- Do not process for more than 1 minute after mixture starts circulating, over-processing will cause the mixture to overheat.
- Ensure the blender on a flat, level, stable and dry surface prior to operation.
- Always ensure that the jug is properly seated in position and the jug lid is properly fitted and secured before switching on the blender, place hand on top of lid when starting machine and during operation.
- Take care when blending hot liquids, do not fill container, the maximum quantity is to the litre mark. Always start motor on low speed or auto mode.
- Ensure that the lid is located under raised projections on the jug before switching on. The lid can only be removed when the blender is OFF and the cutting unit has ceased turning.
- Never leave the blender unattended when in use.

Save these instructions